| | Application No. | Applicant(s) |
|--|-----------------|--------------------------------------|
| Notice of Allowability | 10/090,472 | IANCEA ET AL. |
| | Examiner | Art Unit |
| | W ○ Rui | 3734 |
| | Vy Q. Bui | 3734 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to 10/10/2006. | | |
| 2. The allowed claim(s) is/are <u>1-17</u> . | | |
| 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: | | |
| 1. Certified copies of the priority documents have been received. | | |
| 2. Certified copies of the priority documents have been received in Application No. | | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| | | |
| | | |
| | | |
| Attachment(s) 1. Notice of References Cited (PTO-892) | 5 🖂 Notice of I | nformal Patent Application |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | <u>=</u> | Summary (PTO-413), |
| | Paper No | ./Mail Date |
| 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 8/22/06 | | s Amendment/Comment |
| 4. Examiner's Comment Regarding Requirement for Deposit | 8. 🗌 Examiner's | s Statement of Reasons for Allowance |
| of Biological Material | 9. 🗌 Other | |
| | | |
| | | |
| | · | |

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37
 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue.

Authorization for this examiner's amendment was given in a telephone interview with applicants' attorney, Mr. Hanley, on 01/19/2007.

2. The application has been amended as follows:

CLAIM 1 (Patent claim 1):

- Line 4: change "having a second wall, the second graft component including" to -- including a graft having a second wall and--.

3. The following is an examiner's statement of reasons for allowance: the prior art reference has failed to disclose or suggest a modular endovascular graft device comprising a first graft component having a first wall and a second graft component including a graft having a second wall and a frame with at least one of a plurality of radially extending components extends through both the first wall and the second wall and at least one prefabricated hole being in alignment with one radially extending component.

Claims 1-17 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vy Q. Bui whose telephone number is 571-272-4692. The examiner can normally be reached on Monday-Tuesday and Thursday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Hayes can be reached on 571-272-4959. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/090,472

Art Unit: 3734

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

01/22/07

Vy Q. Bui Primary Examiner Art Unit 3734